

CENOSPHERE



Technical Data Sheet

Issued July 18, 2018

Cenospheres - CLEAN AND GRADED IN BULK.

| Chemical Analysis | % |
|-------------------|---------|
| SiO ₂ | 51-60 |
| Al_2O_3 | 25-33 |
| Fe_2O_3 | 1-6 |
| CaO | 0.2-0.6 |
| TiO ₂ | 0.5-1 |

| 1 Hysical Data | |
|----------------|------------|
| Shape | Powder |
| Color | Light Grey |
| Flotage Rate | >97% |
| Size Range | 10-400µm |
| Hardness Mohs | 5-6 |

Physical Data

HS Code

2621900090


Advantages

- Extreme heat resistance
- Excellent thermal insulation
- Very high compressive strength
- Reduced weight, shrinkage and sag
- Graded, pure, clean and off white in colour
- Potential costs savings through lower resin/binder usage
- > Improved impact resistance and thermal shock resistance

Packing

500KG/600KG Big Jumbo Bag.

- > Chemical stability
- Improved rheology
- Non-absorbency
- Non-flammable



SEPPE TECHNOLOGIES

Believe In Good Materials!

SEPPE Products supply clean and graded cenospheres which have unusually high compressive strength and can easily handle pressures of 4,000 psi without breakage. This immense strength extends their versatility by providing increased breakage resistance during mixing, processing and application. Their light gray color consistency will always give you the results you expect, as well as delivering lower tint costs.

Contact Us

Mobile +86 185 3023 9533

Website www.seppe.cn

Phone +86 373 380 6139

Email
Info@seppe.cn

More Details, Ask SEPPE Now!